



M.P. Pollution Control Board

E-5, Arera Colony Paryavaran Parisar, Bhopal - 16 MP Tele : 0755-2466191, Fax-0755-2463742



Consent Order

RED - LARGE

CCA-Expansion

PCB ID: 16195

Outward No:130094,11/05/2026

Consent No:AWH-64397

To,
The Occupier,
M/s. Bhansali Engineering Polymers Limited,
Bhansali Nagar, Village Satnoor, Tehsil Saunsar,
Distt. Chhindwara(M.P).



Subject: Grant of Consent to Operate(Expansion) under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016.

Ref: Your Application Receipt no. 1425814 Dt. 27/04/2026.

With reference to above, your application for consent to operate has been considered under the aforesaid Acts and existing rules therein. The M.P. Pollution Control Board has agreed to grant consent up to **30/04/2028** & authorisation up to **30/04/2031**, subject to the fulfillment of the terms & conditions, enclosed with this letter.

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location:** Bhansali Nagar, Village Satnoor, Tehsil Saunsar, Distt. Chhindwara(M.P).
b. Capital investment in Lakhs: Rs. 8500.00
c. Product & Production Capacity:

Product	Production Capacity/Year
High Rubber Graft-HRG (Rubber Rich ABS)	21,000 MT

Note:- For any change in above industry shall obtain fresh consent from the Board.

The Validity of the consent shall be up to **30/04/2028** & authorisation up to **30/04/2031** and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act, 1974
- * Conditions under Air Act, 1981
- * Conditions under Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016.
- * General conditions

By the order of Chairman, MPPCB

ACHYUT ANAND MISHRA
Member Secretary

Signature Not Verified
Digitally Signed by: A. A
Mishra, Member Secretary
Date: 11/05/2026 05:48:12 PM



(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 5SL818ES8D

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent of the unit shall **not exceed 490.000 KL/day**, and the daily quantity of sewage of the unit shall **not exceed 125.000 KL/day**.

2. Trade Effluent Treatment:- The applicant shall operate and maintain **Effluent Treatment System** properly to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD ₃ Days 27°C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall operate and maintain **Sewage Treatment System** properly to achieve following standards-

pH	Between	5.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD ₃ Days 27°C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.
fecal coliform	Not exceed	1000 MPN/100 ml

Sr.	Water Code (Quantity in Kilo Liter per Day)	WC : 885.000	WWG : 615.000	Water Source
1	Boiler Feed	70.000	15.000	River
2	Cooling Water	115.000	20.000	
3	D.M Water Plant	115.000	90.000	
4	Domestic Purpose	125.000	125.000	
5	Mnfg Process	450.000	360.000	
6	Others	10.000	5.000	

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Water meter preferably electromagnetic/ultrasonic type with digital flow recording facilities shall be installed separately for category wise consumption of water for industrial cooling/boiler feed, process & domestic purposes and data shall be updated online through XGN regularly.

6. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

7. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

8. Compilation of Monitoring data-

i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge. ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.

9. Recording of Monitoring Activities & Results-

i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.

ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:

- The date, exact place and time of sampling
- The dates on which analysis were performed
- Who performed the analysis?
- The analytical techniques or methods used and
- The result of all required analysis

iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.

iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of

Consent No:AWH-64397

Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

10. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

11. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

12. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

13. Disposal of Collected Solid waste/Sludge-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazardous & other waste (M&TM) Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

14. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

15. Prohibition of Bypass system of treatment facilities-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent in prohibited except:

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

16. Industry management shall submit the information online through XGN in reference to compliance of consent conditions.

17. The industry shall explore possibility of installation of MEE and Dryer of adequate capacity to achieve ZLD and submit the technical details [Design & Drawing] of MEE and Dryer to the Board and obtain approval for the same from the Board.

18. The industry shall install Online Continuous Effluent Monitoring System for measurement of parameters Flow, pH, BOD, COD, TDS etc. and provide its connectivity with the same with ESC, MPPCB Bhopal for remote surveillance.

19. In case of any discharge found outside of unit premises the unit may be liable to pay environmental compensation as per NGT orders O.A. no 593/2017dated 22.02.2021 and the industry shall be punishable or court case may be filed by the Board under provisions of the Water (Prevention & Control of Pollution) Act, 1974.

20. The industry shall obtain PLI policy under provisions of PLI Act, 1991; if applicable.

CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-

1. The applicant shall operate and maintain **Air Pollution Control System** to achieve the level of pollutants to the following standards:-

Name of section	Capacity	Stack height (mtrs)	Fuel	Control equipment installed	P.M., SO _x , NO _x (mg/Nm ³)
Boiler(One kept as Stand By)	2 X 6 TPH	30	Coal 1200 Kg/hr.	Bag Filter, Multi Cyclone	P.M. 150 mg/Nm ³ SO _x 600 mg/Nm ³ NO _x 300 mg/Nm ³
D.G. Sets	500 KVA	3	HSD 75 liter/hr.	Acoustic Enclosure	As per MoEF&CC/ CPCB notifications
D.G. Sets	500 KVA	3	HSD 75 liter/hr.	Acoustic Enclosure	
D.G. Sets	1250 KVA	8	HSD 150 liter/hr.	Acoustic Enclosure	
D.G. Sets	4 X 1250 KVA	15	HSD 150 liter/hr.	Acoustic Enclosure	
Gas Exits	Flare Stack (LPG Flame)	30	---	Stack	P.M. 150 mg/Nm ³

2. Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/2009. Some of the parameters are as follows:

- Particulate Matter (less than 10 micron) - 100 µg/m³ (PM10 µg/m³ 24 hrs. basis)
- Particulate Matter (less than 2.5 micron) - 60 µg/m³ (PM2.5 µg/m³ 24 hrs. basis)
- Sulphur Dioxide [SO₂] (24 hrs. Basis) - 80 µg/m³
- Nitrogen Oxides [NO_x] (24 hrs. Basis) - 80 µg/m³
- Carbon Monoxide [CO] (8 hrs. Basis) - 2000 µg/m³

3. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

4. Industry/Unit shall provide with each stack port hole with safe platform of 1 meter width with support & spiral ladder/ Stepped ladder with hand rail up to monitoring platform as per specifications given in part-III emission regulation of CPCB. In no case monkey ladder shall be allowed as stack monitoring facility.

5. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.

6. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.

7. The industry/ unit shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises

8. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.

9. Industry shall take effective steps for extensive tree plantation preferably of the local tree species within or around the industry/unit premises for general improvement of environmental conditions.

10. Industry shall write name of the industry on stack with heat resistant paint.

11. The industry shall provide Pneumatic Ash Handling System with Silo with adequate Air Pollution control devices for effective management of Boiler ash.

12. The industry shall explore possibility to convert coal fired boiler to cleaner fuels like CNG, PNG etc.

13. The industry shall retrofit all DG Sets of capacity 125 KVA and up to 1000 KVA with an Emission Control Device/Equipment having a minimum specified Particulate Matter capturing efficiency of at least 70% in 5 mode D2 cycle. The emission control device/equipment must be tested over an ISO 8178-5 (Reciprocating Internal Combustion Engines- Exhaust Emission measurement Part-5: Test Fuels) mode D2 cycle for equivalent KVA rating by one of the five CPCB recognized/approved laboratories OR shall shift to gas based generators by employing new gas based generators.

14. The industry shall install Online Continuous Emission Monitoring System (OCEMS) with each Boiler Stack including remote calibration facility for the parameters like particulate matter (PM), Sulphur Oxides (SO_x), Nitrogen Oxides (NO_x) and connect the same with ESC, MPPCB Bhopal and CPCB for remote surveillance.

15. Volatile Organic Carbons/Fugitive emissions shall be controlled up to 99.97% with effective chillers/modern technology.

16. In case of emission found exceeding prescribed standards, the unit may be liable to pay environmental compensation as per NGT orders O.A. no 593/2017 dated 22.02.2021 and the industry shall be punishable or court case may be filed by the Board under provisions of the Air (Prevention & Control of Pollution) Act, 1981.

17. The industry shall obtain PLI policy under provisions of PLI Act, 1991; if applicable.

Consent No:AWH-64397

CONDITIONS PERTAINING TO THE HAZARDOUS AND OTHER WASTES (MANAGEMENT AND TRANSBOUNDARY MOVEMENT) RULES, 2016:-

[See rule 6 (2)]

FORM-2

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

1. Number of authorisation and date of issue : ,
2. Reference of application (No. and date) : **COE-1425814, Dt. 27/04/2026**
3. The Occupier of **M/s. Bhansali Engineering Polymers Limited** is hereby granted an authorisation for generation, collection, storage, disposal of hazardous wastes on the premises situated at Bhansali Nagar, Village Satnoor, Tehsil Saunsar, Distt. Chhindwara(M.P).
4. In case, The Hazardous Waste generation is more than the Authorized Quantity in any of the category of the Hazardous Waste, the Industry is allowed to dispose of the excess quantity of Hazardous Waste as per the authorized mode of disposal. The prior permission is not required in such cases, however the intimation shall be given to the MPPCB.

Details of Authorisation

Category of Hazardous Waste	Authorised mode of disposal	Quantity (ton/annum)
Used or Spent Oil(5.1)	MPPCB Authorized Recycler	3.5 MT
Wastes or Residues (Not Made With Vegetable Or Animal Materials)(23.1)	MPPCB Authorised Co-Processing, MPPCB Authorised TSDF	240 MT
Spent ion exchange resin containing toxic metals(35.2)	MPPCB Authorised TSDF	3.5MT
Chemical Sludge from waste water treatment(35.3)	MPPCB Authorised TSDF	800 MT
Oily Rags(X13)	MPPCB Authorised Incinerator, MPPCB Authorised TSDF	0.5 MT
Empty barrels/containers/liners contaminated with hazardous chemicals /wastes(33.1)	MPPCB Authorized Recycler	30 MT

5. The waste specified under hazardous waste stream as mentioned above shall be stored as per MoEF&CC and CPCB guidelines issued time to time and disposed off as indicated in above table as Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016.

6. The authorization shall be in force for a period up to **30/04/2031**.

7. The industry shall take all the steps wherever required, for reduction of the waste generated or for recycling or reuse.

8. The industry shall display the information on hazardous waste generated on notice board of size 6' X 4' (in Hindi & English) outside the unit main gate along with quantity and nature of hazardous chemicals being handled in the plant, including wastewater, air emission and hazardous wastes.

9. The authorisation is subject to the terms & conditions as given below and to such conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986. Violation of any of the conditions shall be liable for legal action as per provisions under Environment (Protection) Act, 1986.

Terms and Condition of Authorisation:-

1. The authorization shall comply with the provision of Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the M.P. Pollution Control Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the M.P. Pollution Control Board.
4. Any unauthorized change in personnel, equipments as working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. The authorized officer should inform the name, address and telephone/mobile number of the nodal officer responsible for hazardous wastes management.
6. An application for the renewal of an authorization shall be made as laid down under the Hazardous and other Wastes (Management & Transboundary movement) Rule, 2016
7. Any other conditions for compliance shall be bound on authorized officer as per the Guidelines issued by the MoEF or CPCB.
- 8. The industry shall obtain PLI policy under Public Liability Insurance Act, 1991, if applicable.**

Consent No:AWH-64397

9. The information regarding quantity of hazardous wastes generated and its analysis report should be sent to the Board once in a year.
10. The authorized officer shall keep records of analysis of wastes or other relevant findings for at least three years from the date of dispatch of the waste for treatment, storage or disposal.
11. The utilization of hazardous waste as a supplementary resource or for energy recovery or after processing shall be carried out by the units only after obtaining approval from the Central Pollution Control Board.
12. The occupier generating the hazardous wastes, specified in Schedule-IV may sell it only to the recycler having a valid registration from the Central Pollution Control Board/State Pollution Control Board for recycling or recovery.
13. The occupier shall be responsible for safe and environmentally sound handling of hazardous wastes generated in his establishment.
14. The hazardous wastes generated in the establishment of an occupier shall be sent or sold to a recycler or re-processor or re-user registered or authorized under these rules or shall be disposed off in an authorized disposal facility.
15. The occupier shall take all adequate steps while handling hazardous wastes to contain contaminants and prevent accidents and limit their consequences on human beings and the environment and provide persons working on the site with the training, equipment and the information necessary to ensure their safety.
16. In case of transport of hazardous wastes for final disposal to a facility for treatment, storage and disposal existing in a State other than the State where the hazardous waste is generated, the occupier shall obtain 'No Objection Certificate' from the State Pollution Control Board of both the States.
17. The authorized person shall submit Environmental statement of the financial year ending on 31st March in Form-5 of Environmental (Protection) Rules 1986 to Board on or before 30th of September of every year.
18. The wastes must be given thermal/biological/physico-chemical treatment. The wastes, should be completely dewatered, detoxified, properly conditioned and if possible recovery be made before their disposal.
19. **"Hazardous Waste storage site" & Danger sign board shall be provided with all safety devices at the storage site if applicable.**
20. As per Rule 6(1) in case the holder of the authorization fails to comply with any of the conditions of the authorization or with any provisions of the E (P) Act or the Rules, Board shall cancel or suspend the authorization issued under rule – 7 (1) for such period as it considers necessary in the public interest.

21. Board upon suspension or cancellation of the authorization may give directions to the person as per Rule 7(2) whose authorization has been suspended or cancelled for the safe storage of the hazardous waste, and such person shall comply with such directions.

Forms & Returns

22. (i) The authorized person as per rule 6(5) & 20(1&2) shall maintain record of Hazardous Waste handled by him in Form-3 and submit to M.P. Pollution Control Board an annual return containing the details specified in Form-4 on or before 30th of June following to the financial years to which the return relates.

(ii) In case of transportation of Hazardous Wastes the occupier shall provide the transporter with the relevant information as per Rules, 18(2) in Form-9 regarding the hazardous nature of the wastes and measures to be taken in case of an emergency and shall mark the hazardous wastes containers as per Form-8.

(iii) The manifest related to transportation of hazardous waste as per Rule 19(2) shall be forwarded to M.P. Pollution Control Board in Form-10 before the occupier hands over the hazardous wastes to the transporter.

(iv) Where an accident occurs at the facility or on a hazardous waste site or during transportation of the hazardous waste, the occupier or operator of the facility or the transporter, as the case may be shall report immediately to the M.P. Pollution Control Board about the accident in Form-11 as per Rule 22.

Storage & Disposal of Hazardous wastes

23. The occupier, recyclers, re-processors, re-users, and operators of facilities may store the hazardous wastes for a period not exceeding ninety days and shall maintain a record of sale, transfer, storage, recycling and reprocessing of such wastes and make these records available for inspection.

Packing, Labeling & Transportation of Hazardous wastes

24. (i) The occupier or operator of the Treatment, Storage and Disposal Facility or recycler shall ensure that the hazardous waste are packaged and labeled, based on the composition in a manner suitable for safe handling, storage and transport as per the guidelines issued by the Central Pollution Control Board vide - October 2004 & conditions issues from time to time.

(ii) The labeling and packaging shall be easily visible and be able to withstand physical conditions and climate factors.

(iii) The transport of the hazardous wastes shall be in accordance with the provision of these rules and the rules made by the Central Govt. under the Motor Vehicle Act 1988 and other guidelines issued from time to time in this regard.

Consent No:AWH-64397

- (iv) In case of transportation of hazardous wastes through a State other than the State of origin or destination, the occupier shall intimate the concerned State Pollution Control Board before he hands over the hazardous wastes to the transporter. (v) The occupier shall provide the transporter with six copies of the manifest as per the colour codes as per rule 19(1).
- (vi) The occupier shall forward copy 1 (white) to the State Pollution Control Board and in case the hazardous wastes is likely to be transported through any transit State, the occupier shall prepare an additional copy each for intimation to such State and forward the same to the concerned SPCB before he hands over the hazardous wastes to the transporter.
- (vii) No transporter shall accept hazardous wastes from an occupier for transport unless copies 3 to 6 of the manifest accompany it.
- (viii) The transporter shall submit copies 3 to 6 of the manifest duly signed with date to the operator of the facility along with the waste consignment.

25. (i) The occupier, importer, transporter and operator of the facility shall be liable for all damages caused to the environment or third party due to improper handling of the hazardous wastes or disposal of hazardous waste.

GENERAL CONDITIONS:

1. The non hazardous solid waste arising in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

Non Hazardous Solid wastes:-

Type of waste	Quantity	Disposal
Scrap/ Plastic packing material wood, card board, gunny bags etc	Maintain Record	Re-use/Sale to M.P. Pollution Control Board's authorized party

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

- a. To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
- b. To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
- c. To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- d. To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- e. To sample at reasonable times any discharge or pollutants.

3. This consent/authorisation is transferable in nature, in case of any change in ownership / management, the new owner / partner / directors / proprietor shall immediately apply for the consent with new requisite information.

4. The issuance of this consent/authorisation does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. Industry shall install separate electric metering arrangement for running of pollution control devices and the record of electricity consumption for running of pollution control equipment shall be maintained and update the same online through XGN regularly.

6. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 and Authorisation under Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

7. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.

8. The applicant shall submit such information, forms and fees as required by the board not later than 180 day prior to the date of expiration of this consent.

9. The industry/unit shall establish a separate environmental cell, headed by senior officer of the unit for reporting the environmental compliances. The industry/ Unit shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.

10. Industry shall obtain membership of Emergency Response Center of the Board and keep it valid at all times.

11. Knowingly making any false statement for obtaining consent/authorisation or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

12. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following:

- (a) Violation of any terms and conditions of this Consent.
- (b) Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- (c) A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

13. On violation of any of the above-mentioned conditions the consent/authorisation granted will automatically be taken as canceled and necessary action will be initiated against the industry.

14. The industry/unit shall monitor the treated wastewater flow and update the same online through XGN regularly.

Consent No:AWH-64397

15. Ambient air quality at the boundary of the industry/unit premises shall be monitored and report the same online through XGN regularly.

16. The industry shall maintain the record of generation and disposal of the non-hazardous wastes and same shall be produced before the officers of Pollution Control Board during inspection or visit.

17. The industry shall store raw materials (chemicals, solvents etc.) in designated storage place only and name of chemical/raw material shall be displayed on the same. In no case, chemical/raw material shall be stored in non-designated area.

18. The industry shall comply with provisions of Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 and its subsequent amendments.

19. The industry shall provide adequate firefighting arrangements and obtain Fire NOC from competent authority and comply with same.

20. The industry shall store raw materials and finished products in covered storage shed with adequate firefighting arrangements.

21. The industry shall install "Outdoor HD Industrial grade IP (Internet Protocol) cameras with Pan-Tilt-Zoom (PTZ) feature, minimum focal length 30X with night vision facility and tamper proof mechanism" at suitable locations to display all emission sources and effluent discharge points and connect the same with ESC, MPPCB Bhopal and CPCB for remote surveillance.

22. The industry shall submit Environmental Audit Report for FY 2025-26 from NABET accredited consultant till 30/09/2026. The same practice shall be followed for coming years regarding environmental audit report before September of preceding year with environmental statement.

Advisory Conditions:-

1. The industry shall obtain NOC from Central Ground Water Board for extraction of ground water, if applicable.
2. The industry shall install Digital Water meter with digital flow recording facilities for measurement of ground water consumption and provide its connectivity with server of ESC, MPPCB Board Bhopal for remote surveillance.
3. The industry shall provide Rain water harvesting for ground water conservation and recycle treated waste water for plantation and flushing.
4. Potable drinking water shall be used for drinking purposes only.
5. Appropriate legal action shall be initiated in case of violation of above mentioned conditions.

Consent as required under the Water (Prevention & Control of Pollution) Act, 1974 & The Air (Prevention & Control of Pollution) Act, 1981 and Authorisation under Hazardous and other Wastes (Management & Transboundary Movement) Rules, 2016 is granted to your industry subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of
M.P. Pollution Control Board

By the order of Chairman, MPPCB



ACHYUT ANAND MISHRA
Member Secretary



(Organic Authentication on AADHAR from UIDAI Server)
TPAV # 5SL818ES8D

Consent No:AWH-64397